


SECTION X-X



TOLERANCE: .XXX ± .005 .XX ± .01 ANGLE ± 1°	TITLE <b>MILITARY                  DOUBLE ROW BOX                  W/EARS</b>	SHT 1 OF 5	DWG. NO. <b>M55302/128XX2X</b>	REV <b>D</b>
---	--	------------	-----------------------------------	-----------------


A NO. OF CONTACTS	NO. OF SPACES	B ±.010
04	1	.10
06	2	.20
08	3	.30
10	4	.40
12	5	.50
14	6	.60
16	7	.70
18	8	.80
20	9	.90
22	10	1.00
24	11	1.10
26	12	1.20
28	13	1.30
30	14	1.40
32	15	1.50
34	16	1.60

A NO. OF CONTACTS	NO. OF SPACES	B ±.010
36	17	1.70
38	18	1.80
40	19	1.90
42	20	2.00
44	21	2.10
46	22	2.20
48	23	2.30
50	24	2.40
52	25	2.50
54	26	2.60
56	27	2.70
58	28	2.80
60	29	2.90
62	30	3.00
64	31	3.10
66	32	3.20

A NO. OF CONTACTS	NO. OF SPACES	B ±.010
68	33	3.30
70	34	3.40
72	35	3.50
74	36	3.60
76	37	3.70
78	38	3.80
80	39	3.90
82	40	4.00
84	41	4.10
86	42	4.20
88	43	4.30
90	44	4.40
92	45	4.50
94	46	4.60
96	47	4.70
98	48	4.80

A NO. OF CONTACTS	NO. OF SPACES	B ±.010
100	49	4.90
102	50	5.00
104	51	5.10
106	52	5.20
108	53	5.30
110	54	5.40
112	55	5.50
114	56	5.60
116	57	5.70
118	58	5.80
120	59	5.90
122	60	6.00
124	61	6.10
126	62	6.20
128	63	6.30
130	64	6.40

**XX - 122 - XXX - X - MIL - T**



MATERIALS AND FINISHES ARE IAW MIL-DTL-55302 FOR DETAILS SEE MIL SPEC OR WWW.CRISTEK.COM

**1. MATERIALS:**

INSULATOR - PHENOLIC PER MIL-M-14  
CONTACT - COPPER ALLOY

**2. FINISH:**

**CONTACT PLATING OPTIONS**

53 = POINT OF CONTACT TO BE PLATED PER MIL-G-45204 TYPE II, CLASS 1, GRADE C OVER NICKEL PER QQ-N-290 CLASS 2 .000050 MIN, REMAINDER OF CONTACT TO HAVE A FLASH OF GOLD OVER NICKEL.

55 = ENTIRE CONTACT TO BE PLATED PER MIL-G-45204 TYPE II, CLASS 1, GRADE C OVER NICKEL PER QQ-N-290 CLASS 2 .000050 MIN.

SD = HOT SOLDER DIPPED TERMINATION AREA, POINT OF CONTACT TO BE PLATED PER MIL-G-45204 TYPE II, CLASS 1 GRADE C OVER NICKEL PER QQ-N-290 CLASS 2 .000050 MIN.

**3. SPECIFICATIONS:**

CURRENT RATING ----- 3 AMPS MAX  
TEMPERATURE RATING ----- -65° C TO +125° C  
INSULATION RESISTANCE ----- 5000 MEGOHMS MIN AT 500 VDC  
DWV AT SEA LEVEL ----- 750 VAC  
CONTACT RESISTANCE ----- 12 MILLIOHMS MAX AT 3 AMPS  
INSERTION FORCE ----- 6 oz MAX  
WITHDRAWAL FORCE ----- 0.75 oz MIN

**4. MARKING**

IDENTIFY CONNECTOR IN ACCORDANCE WITH MIL-STD-1285. THE FIRST AND LAST CIRCUIT SHALL BE NUMBERED AND EVERY FIFTH CIRCUIT SHALL HAVE AN IDENTIFIABLE MARK IN THE TOP SURFACE OF THE HOUSING. BEGINNING WITH THE LEFT (NO.1), LOOKING AT THE MATING FACE OF THE CONNECTOR.

**5. ADDITIONAL INFORMATION**

FOR MORE OPTIONS AND CONFIGURATIONS, CONTACT CRISTEK.

TOLERANCE: .XXX ±.005 .XX ±.01 ANGLE ±1°	TITLE <b>MILITARY DOUBLE ROW BOX W/EARS</b>	SHT 2 OF 5	DWG. NO. <b>M55302/128XX2X</b>	REV <b>D</b>
--	--	------------	-----------------------------------	-----------------

M55302/128 P/N	CRISTEK P/N
M55302/128-AA2A	53-122-04-A-MIL
M55302/128-AB2A	53-122-06-A-MIL
M55302/128-AC2A	53-122-08-A-MIL
M55302/128-AD2A	53-122-10-A-MIL
M55302/128-AE2A	53-122-12-A-MIL
M55302/128-AF2A	53-122-14-A-MIL
M55302/128-AG2A	53-122-16-A-MIL
M55302/128-AH2A	53-122-18-A-MIL
M55302/128-AJ2A	53-122-20-A-MIL
M55302/128-AK2A	53-122-22-A-MIL
M55302/128-AL2A	53-122-24-A-MIL
M55302/128-AM2A	53-122-26-A-MIL
M55302/128-AN2A	53-122-28-A-MIL
M55302/128-AP2A	53-122-30-A-MIL
M55302/128-AQ2A	53-122-32-A-MIL
M55302/128-AR2A	53-122-34-A-MIL
M55302/128-BA2A	53-122-36-A-MIL
M55302/128-BB2A	53-122-38-A-MIL
M55302/128-BC2A	53-122-40-A-MIL
M55302/128-BD2A	53-122-42-A-MIL
M55302/128-BE2A	53-122-44-A-MIL
M55302/128-BF2A	53-122-46-A-MIL
M55302/128-BG2A	53-122-48-A-MIL
M55302/128-BH2A	53-122-50-A-MIL
M55302/128-BJ2A	53-122-52-A-MIL
M55302/128-BK2A	53-122-54-A-MIL
M55302/128-BL2A	53-122-56-A-MIL
M55302/128-BM2A	53-122-58-A-MIL
M55302/128-BN2A	53-122-60-A-MIL
M55302/128-BP2A	53-122-62-A-MIL
M55302/128-BQ2A	53-122-64-A-MIL
M55302/128-BR2A	53-122-66-A-MIL
M55302/128-CA2A	53-122-68-A-MIL
M55302/128-CB2A	53-122-70-A-MIL
M55302/128-CC2A	53-122-72-A-MIL
M55302/128-CD2A	53-122-74-A-MIL
M55302/128-CE2A	53-122-76-A-MIL
M55302/128-CF2A	53-122-78-A-MIL
M55302/128-CG2A	53-122-80-A-MIL
M55302/128-CH2A	53-122-82-A-MIL
M55302/128-CJ2A	53-122-84-A-MIL
M55302/128-CK2A	53-122-86-A-MIL
M55302/128-CL2A	53-122-88-A-MIL

M55302/128 P/N	CRISTEK P/N
M55302/128-CM2A	53-122-90-A-MIL
M55302/128-CN2A	53-122-92-A-MIL
M55302/128-CP2A	53-122-94-A-MIL
M55302/128-CQ2A	53-122-96-A-MIL
M55302/128-CR2A	53-122-98-A-MIL
M55302/128-DA2A	53-122-100-A-MIL
M55302/128-DB2A	53-122-102-A-MIL
M55302/128-DC2A	53-122-104-A-MIL
M55302/128-DD2A	53-122-106-A-MIL
M55302/128-DE2A	53-122-108-A-MIL
M55302/128-DF2A	53-122-110-A-MIL
M55302/128-DG2A	53-122-112-A-MIL
M55302/128-DH2A	53-122-114-A-MIL
M55302/128-DJ2A	53-122-116-A-MIL
M55302/128-DK2A	53-122-118-A-MIL
M55302/128-DL2A	53-122-120-A-MIL
M55302/128-DM2A	53-122-122-A-MIL
M55302/128-DN2A	53-122-124-A-MIL
M55302/128-DP2A	53-122-126-A-MIL
M55302/128-DQ2A	53-122-128-A-MIL
M55302/128-DR2A	53-122-130-A-MIL
M55302/128-AA2E	53-122-04-B-MIL
M55302/128-AB2E	53-122-06-B-MIL
M55302/128-AC2E	53-122-08-B-MIL
M55302/128-AD2E	53-122-10-B-MIL
M55302/128-AE2E	53-122-12-B-MIL
M55302/128-AF2E	53-122-14-B-MIL
M55302/128-AG2E	53-122-16-B-MIL
M55302/128-AH2E	53-122-18-B-MIL
M55302/128-AJ2E	53-122-20-B-MIL
M55302/128-AK2E	53-122-22-B-MIL
M55302/128-AL2E	53-122-24-B-MIL
M55302/128-AM2E	53-122-26-B-MIL
M55302/128-AN2E	53-122-28-B-MIL
M55302/128-AP2E	53-122-30-B-MIL
M55302/128-AQ2E	53-122-32-B-MIL
M55302/128-AR2E	53-122-34-B-MIL
M55302/128-BA2E	53-122-36-B-MIL
M55302/128-BB2E	53-122-38-B-MIL
M55302/128-BC2E	53-122-40-B-MIL
M55302/128-BD2E	53-122-42-B-MIL
M55302/128-BE2E	53-122-44-B-MIL
M55302/128-BF2E	53-122-46-B-MIL

M55302/128 P/N	CRISTEK P/N
M55302/128-BG2E	53-122-48-B-MIL
M55302/128-BH2E	53-122-50-B-MIL
M55302/128-BJ2E	53-122-52-B-MIL
M55302/128-BK2E	53-122-54-B-MIL
M55302/128-BL2E	53-122-56-B-MIL
M55302/128-BM2E	53-122-58-B-MIL
M55302/128-BN2E	53-122-60-B-MIL
M55302/128-BP2E	53-122-62-B-MIL
M55302/128-BQ2E	53-122-64-B-MIL
M55302/128-BR2E	53-122-66-B-MIL
M55302/128-CA2E	53-122-68-B-MIL
M55302/128-CB2E	53-122-70-B-MIL
M55302/128-CC2E	53-122-72-B-MIL
M55302/128-CD2E	53-122-74-B-MIL
M55302/128-CE2E	53-122-76-B-MIL
M55302/128-CF2E	53-122-78-B-MIL
M55302/128-CG2E	53-122-80-B-MIL
M55302/128-CH2E	53-122-82-B-MIL
M55302/128-CJ2E	53-122-84-B-MIL
M55302/128-CK2E	53-122-86-B-MIL
M55302/128-CL2E	53-122-88-B-MIL
M55302/128-CM2E	53-122-90-B-MIL
M55302/128-CN2E	53-122-92-B-MIL
M55302/128-CP2E	53-122-94-B-MIL
M55302/128-CQ2E	53-122-96-B-MIL
M55302/128-CR2E	53-122-98-B-MIL
M55302/128-DA2E	53-122-100-B-MIL
M55302/128-DB2E	53-122-102-B-MIL
M55302/128-DC2E	53-122-104-B-MIL
M55302/128-DD2E	53-122-106-B-MIL
M55302/128-DE2E	53-122-108-B-MIL
M55302/128-DF2E	53-122-110-B-MIL
M55302/128-DG2E	53-122-112-B-MIL
M55302/128-DH2E	53-122-114-B-MIL
M55302/128-DJ2E	53-122-116-B-MIL
M55302/128-DK2E	53-122-118-B-MIL
M55302/128-DL2E	53-122-120-B-MIL
M55302/128-DM2E	53-122-122-B-MIL
M55302/128-DN2E	53-122-124-B-MIL
M55302/128-DP2E	53-122-126-B-MIL
M55302/128-DQ2E	53-122-128-B-MIL
M55302/128-DR2E	53-122-130-B-MIL

M55302 TO CRISTEK PART NUMBER REFERENCE

TOLERANCE: .XXX ±.005 .XX ±.01 ANGLE ±1°	TITLE MILITARY DOUBLE ROW BOX W/EARS	SHT 3 OF 5	DWG. NO. M55302/128XX2X	REV D
--	---	------------	----------------------------	----------

M55302/128 P/N	CRISTEK P/N
M55302/128-AA2C	53-122-04-C-MIL
M55302/128-AB2C	53-122-06-C-MIL
M55302/128-AC2C	53-122-08-C-MIL
M55302/128-AD2C	53-122-10-C-MIL
M55302/128-AE2C	53-122-12-C-MIL
M55302/128-AF2C	53-122-14-C-MIL
M55302/128-AG2C	53-122-16-C-MIL
M55302/128-AH2C	53-122-18-C-MIL
M55302/128-AJ2C	53-122-20-C-MIL
M55302/128-AK2C	53-122-22-C-MIL
M55302/128-AL2C	53-122-24-C-MIL
M55302/128-AM2C	53-122-26-C-MIL
M55302/128-AN2C	53-122-28-C-MIL
M55302/128-AP2C	53-122-30-C-MIL
M55302/128-AQ2C	53-122-32-C-MIL
M55302/128-AR2C	53-122-34-C-MIL
M55302/128-BA2C	53-122-36-C-MIL
M55302/128-BB2C	53-122-38-C-MIL
M55302/128-BC2C	53-122-40-C-MIL
M55302/128-BD2C	53-122-42-C-MIL
M55302/128-BE2C	53-122-44-C-MIL
M55302/128-BF2C	53-122-46-C-MIL
M55302/128-BG2C	53-122-48-C-MIL
M55302/128-BH2C	53-122-50-C-MIL
M55302/128-BJ2C	53-122-52-C-MIL
M55302/128-BK2C	53-122-54-C-MIL
M55302/128-BL2C	53-122-56-C-MIL
M55302/128-BM2C	53-122-58-C-MIL
M55302/128-BN2C	53-122-60-C-MIL
M55302/128-BP2C	53-122-62-C-MIL
M55302/128-BQ2C	53-122-64-C-MIL
M55302/128-BR2C	53-122-66-C-MIL
M55302/128-CA2C	53-122-68-C-MIL
M55302/128-CB2C	53-122-70-C-MIL
M55302/128-CC2C	53-122-72-C-MIL
M55302/128-CD2C	53-122-74-C-MIL
M55302/128-CE2C	53-122-76-C-MIL
M55302/128-CF2C	53-122-78-C-MIL
M55302/128-CG2C	53-122-80-C-MIL
M55302/128-CH2C	53-122-82-C-MIL
M55302/128-CJ2C	53-122-84-C-MIL
M55302/128-CK2C	53-122-86-C-MIL
M55302/128-CL2C	53-122-88-C-MIL

M55302/128 P/N	CRISTEK P/N
M55302/128-CM2C	53-122-90-C-MIL
M55302/128-CN2C	53-122-92-C-MIL
M55302/128-CP2C	53-122-94-C-MIL
M55302/128-CQ2C	53-122-96-C-MIL
M55302/128-CR2C	53-122-98-C-MIL
M55302/128-DA2C	53-122-100-C-MIL
M55302/128-DB2C	53-122-102-C-MIL
M55302/128-DC2C	53-122-104-C-MIL
M55302/128-DD2C	53-122-106-C-MIL
M55302/128-DE2C	53-122-108-C-MIL
M55302/128-DF2C	53-122-110-C-MIL
M55302/128-DG2C	53-122-112-C-MIL
M55302/128-DH2C	53-122-114-C-MIL
M55302/128-DJ2C	53-122-116-C-MIL
M55302/128-DK2C	53-122-118-C-MIL
M55302/128-DL2C	53-122-120-C-MIL
M55302/128-DM2C	53-122-122-C-MIL
M55302/128-DN2C	53-122-124-C-MIL
M55302/128-DP2C	53-122-126-C-MIL
M55302/128-DQ2C	53-122-128-C-MIL
M55302/128-DR2C	53-122-130-C-MIL
M55302/128-AA2B	55-122-04-A-MIL
M55302/128-AB2B	55-122-06-A-MIL
M55302/128-AC2B	55-122-08-A-MIL
M55302/128-AD2B	55-122-10-A-MIL
M55302/128-AE2B	55-122-12-A-MIL
M55302/128-AF2B	55-122-14-A-MIL
M55302/128-AG2B	55-122-16-A-MIL
M55302/128-AH2B	55-122-18-A-MIL
M55302/128-AJ2B	55-122-20-A-MIL
M55302/128-AK2B	55-122-22-A-MIL
M55302/128-AL2B	55-122-24-A-MIL
M55302/128-AM2B	55-122-26-A-MIL
M55302/128-AN2B	55-122-28-A-MIL
M55302/128-AP2B	55-122-30-A-MIL
M55302/128-AQ2B	55-122-32-A-MIL
M55302/128-AR2B	55-122-34-A-MIL
M55302/128-BA2B	55-122-36-A-MIL
M55302/128-BB2B	55-122-38-A-MIL
M55302/128-BC2B	55-122-40-A-MIL
M55302/128-BD2B	55-122-42-A-MIL
M55302/128-BE2B	55-122-44-A-MIL
M55302/128-BF2B	55-122-46-A-MIL

M55302/128 P/N	CRISTEK P/N
M55302/128-BG2B	55-122-48-A-MIL
M55302/128-BH2B	55-122-50-A-MIL
M55302/128-BJ2B	55-122-52-A-MIL
M55302/128-BK2B	55-122-54-A-MIL
M55302/128-BL2B	55-122-56-A-MIL
M55302/128-BM2B	55-122-58-A-MIL
M55302/128-BN2B	55-122-60-A-MIL
M55302/128-BP2B	55-122-62-A-MIL
M55302/128-BQ2B	55-122-64-A-MIL
M55302/128-BR2B	55-122-66-A-MIL
M55302/128-CA2B	55-122-68-A-MIL
M55302/128-CB2B	55-122-70-A-MIL
M55302/128-CC2B	55-122-72-A-MIL
M55302/128-CD2B	55-122-74-A-MIL
M55302/128-CE2B	55-122-76-A-MIL
M55302/128-CF2B	55-122-78-A-MIL
M55302/128-CG2B	55-122-80-A-MIL
M55302/128-CH2B	55-122-82-A-MIL
M55302/128-CJ2B	55-122-84-A-MIL
M55302/128-CK2B	55-122-86-A-MIL
M55302/128-CL2B	55-122-88-A-MIL
M55302/128-CM2B	55-122-90-A-MIL
M55302/128-CN2B	55-122-92-A-MIL
M55302/128-CP2B	55-122-94-A-MIL
M55302/128-CQ2B	55-122-96-A-MIL
M55302/128-CR2B	55-122-98-A-MIL
M55302/128-DA2B	55-122-100-A-MIL
M55302/128-DB2B	55-122-102-A-MIL
M55302/128-DC2B	55-122-104-A-MIL
M55302/128-DD2B	55-122-106-A-MIL
M55302/128-DE2B	55-122-108-A-MIL
M55302/128-DF2B	55-122-110-A-MIL
M55302/128-DG2B	55-122-112-A-MIL
M55302/128-DH2B	55-122-114-A-MIL
M55302/128-DJ2B	55-122-116-A-MIL
M55302/128-DK2B	55-122-118-A-MIL
M55302/128-DL2B	55-122-120-A-MIL
M55302/128-DM2B	55-122-122-A-MIL
M55302/128-DN2B	55-122-124-A-MIL
M55302/128-DP2B	55-122-126-A-MIL
M55302/128-DQ2B	55-122-128-A-MIL
M55302/128-DR2B	55-122-130-A-MIL

M55302 TO CRISTEK PART NUMBER REFERENCE

TOLERANCE: .XXX ±.005 .XX ±.01 ANGLE ±1°	TITLE <b>MILITARY DOUBLE ROW BOX W/EARS</b>	SHT 4 OF 5	DWG. NO. M55302/128XX2X	REV <b>D</b>
--	--	------------	----------------------------	-----------------

M55302/128 P/N	CRISTEK P/N
M55302/128-AA2F	55-122-04-B-MIL
M55302/128-AB2F	55-122-06-B-MIL
M55302/128-AC2F	55-122-08-B-MIL
M55302/128-AD2F	55-122-10-B-MIL
M55302/128-AE2F	55-122-12-B-MIL
M55302/128-AF2F	55-122-14-B-MIL
M55302/128-AG2F	55-122-16-B-MIL
M55302/128-AH2F	55-122-18-B-MIL
M55302/128-AJ2F	55-122-20-B-MIL
M55302/128-AK2F	55-122-22-B-MIL
M55302/128-AL2F	55-122-24-B-MIL
M55302/128-AM2F	55-122-26-B-MIL
M55302/128-AN2F	55-122-28-B-MIL
M55302/128-AP2F	55-122-30-B-MIL
M55302/128-AQ2F	55-122-32-B-MIL
M55302/128-AR2F	55-122-34-B-MIL
M55302/128-BA2F	55-122-36-B-MIL
M55302/128-BB2F	55-122-38-B-MIL
M55302/128-BC2F	55-122-40-B-MIL
M55302/128-BD2F	55-122-42-B-MIL
M55302/128-BE2F	55-122-44-B-MIL
M55302/128-BF2F	55-122-46-B-MIL
M55302/128-BG2F	55-122-48-B-MIL
M55302/128-BH2F	55-122-50-B-MIL
M55302/128-BJ2F	55-122-52-B-MIL
M55302/128-BK2F	55-122-54-B-MIL
M55302/128-BL2F	55-122-56-B-MIL
M55302/128-BM2F	55-122-58-B-MIL
M55302/128-BN2F	55-122-60-B-MIL
M55302/128-BP2F	55-122-62-B-MIL
M55302/128-BQ2F	55-122-64-B-MIL
M55302/128-BR2F	55-122-66-B-MIL
M55302/128-CA2F	55-122-68-B-MIL
M55302/128-CB2F	55-122-70-B-MIL
M55302/128-CC2F	55-122-72-B-MIL
M55302/128-CD2F	55-122-74-B-MIL
M55302/128-CE2F	55-122-76-B-MIL
M55302/128-CF2F	55-122-78-B-MIL
M55302/128-CG2F	55-122-80-B-MIL
M55302/128-CH2F	55-122-82-B-MIL
M55302/128-CJ2F	55-122-84-B-MIL
M55302/128-CK2F	55-122-86-B-MIL
M55302/128-CL2F	55-122-88-B-MIL

M55302/128 P/N	CRISTEK P/N
M55302/128-CM2F	55-122-90-B-MIL
M55302/128-CN2F	55-122-92-B-MIL
M55302/128-CP2F	55-122-94-B-MIL
M55302/128-CQ2F	55-122-96-B-MIL
M55302/128-CR2F	55-122-98-B-MIL
M55302/128-DA2F	55-122-100-B-MIL
M55302/128-DB2F	55-122-102-B-MIL
M55302/128-DC2F	55-122-104-B-MIL
M55302/128-DD2F	55-122-106-B-MIL
M55302/128-DE2F	55-122-108-B-MIL
M55302/128-DF2F	55-122-110-B-MIL
M55302/128-DG2F	55-122-112-B-MIL
M55302/128-DH2F	55-122-114-B-MIL
M55302/128-DJ2F	55-122-116-B-MIL
M55302/128-DK2F	55-122-118-B-MIL
M55302/128-DL2F	55-122-120-B-MIL
M55302/128-DM2F	55-122-122-B-MIL
M55302/128-DN2F	55-122-124-B-MIL
M55302/128-DP2F	55-122-126-B-MIL
M55302/128-DQ2F	55-122-128-B-MIL
M55302/128-DR2F	55-122-130-B-MIL
M55302/128-AA2D	55-122-04-C-MIL
M55302/128-AB2D	55-122-06-C-MIL
M55302/128-AC2D	55-122-08-C-MIL
M55302/128-AD2D	55-122-10-C-MIL
M55302/128-AE2D	55-122-12-C-MIL
M55302/128-AF2D	55-122-14-C-MIL
M55302/128-AG2D	55-122-16-C-MIL
M55302/128-AH2D	55-122-18-C-MIL
M55302/128-AJ2D	55-122-20-C-MIL
M55302/128-AK2D	55-122-22-C-MIL
M55302/128-AL2D	55-122-24-C-MIL
M55302/128-AM2D	55-122-26-C-MIL
M55302/128-AN2D	55-122-28-C-MIL
M55302/128-AP2D	55-122-30-C-MIL
M55302/128-AQ2D	55-122-32-C-MIL
M55302/128-AR2D	55-122-34-C-MIL
M55302/128-BA2D	55-122-36-C-MIL
M55302/128-BB2D	55-122-38-C-MIL
M55302/128-BC2D	55-122-40-C-MIL
M55302/128-BD2D	55-122-42-C-MIL
M55302/128-BE2D	55-122-44-C-MIL
M55302/128-BF2D	55-122-46-C-MIL

M55302/128 P/N	CRISTEK P/N
M55302/128-BG2D	55-122-48-C-MIL
M55302/128-BH2D	55-122-50-C-MIL
M55302/128-BJ2D	55-122-52-C-MIL
M55302/128-BK2D	55-122-54-C-MIL
M55302/128-BL2D	55-122-56-C-MIL
M55302/128-BM2D	55-122-58-C-MIL
M55302/128-BN2D	55-122-60-C-MIL
M55302/128-BP2D	55-122-62-C-MIL
M55302/128-BQ2D	55-122-64-C-MIL
M55302/128-BR2D	55-122-66-C-MIL
M55302/128-CA2D	55-122-68-C-MIL
M55302/128-CB2D	55-122-70-C-MIL
M55302/128-CC2D	55-122-72-C-MIL
M55302/128-CD2D	55-122-74-C-MIL
M55302/128-CE2D	55-122-76-C-MIL
M55302/128-CF2D	55-122-78-C-MIL
M55302/128-CG2D	55-122-80-C-MIL
M55302/128-CH2D	55-122-82-C-MIL
M55302/128-CJ2D	55-122-84-C-MIL
M55302/128-CK2D	55-122-86-C-MIL
M55302/128-CL2D	55-122-88-C-MIL
M55302/128-CM2D	55-122-90-C-MIL
M55302/128-CN2D	55-122-92-C-MIL
M55302/128-CP2D	55-122-94-C-MIL
M55302/128-CQ2D	55-122-96-C-MIL
M55302/128-CR2D	55-122-98-C-MIL
M55302/128-DA2D	55-122-100-C-MIL
M55302/128-DB2D	55-122-102-C-MIL
M55302/128-DC2D	55-122-104-C-MIL
M55302/128-DD2D	55-122-106-C-MIL
M55302/128-DE2D	55-122-108-C-MIL
M55302/128-DF2D	55-122-110-C-MIL
M55302/128-DG2D	55-122-112-C-MIL
M55302/128-DH2D	55-122-114-C-MIL
M55302/128-DJ2D	55-122-116-C-MIL
M55302/128-DK2D	55-122-118-C-MIL
M55302/128-DL2D	55-122-120-C-MIL
M55302/128-DM2D	55-122-122-C-MIL
M55302/128-DN2D	55-122-124-C-MIL
M55302/128-DP2D	55-122-126-C-MIL
M55302/128-DQ2D	55-122-128-C-MIL
M55302/128-DR2D	55-122-130-C-MIL

M55302 TO CRISTEK PART NUMBER REFERENCE

TOLERANCE: .XXX ±.005 .XX ±.01 ANGLE ±1°	TITLE <b>MILITARY DOUBLE ROW BOX W/EARS</b>	SHT 5 OF 5	DWG. NO. M55302/128XX2X	REV <b>D</b>
--	--	------------	----------------------------	-----------------